

ConceptPatio 130

Lift-Slider and Slider Systems



Newbridge Avenue, Dublin, Ireland: Plus Architecture / Photographer: Donal Murphy



Reynaers
at Home

www.reynaersathome.co.uk

Reliable performance

With **ConceptPatio 130**, choose between a versatile lift-and-slide or inline sliding system. Its quality-for-money design and reliable performance makes it the perfect solution for new builds or renovation projects.

ConceptPatio 130 guarantees easy access and effortless opening, thanks to its optimised ergonomic design. Choose between various opening types - including an Open Corner design - or add a renovation-friendly threshold solution to optimise your design. What’s more, easily combine ConceptPatio 130 with our other aluminium systems to create a complete façade solution.

Design

When you choose ConceptPatio 130, you get a complete and versatile solution with endless design options. Customise your lift-and-slide or inline sliding doors with different opening types and vent configurations, multiple insulation variants and threshold solutions, various handle options, and over 400 colours and finishing types to choose from. Affordable high-quality design, exactly how you want it - ConceptPatio 130 can do it all.


Safety

With ConceptPatio 130, the lift-slider and slider system has been tested and approved to offer RC2 and PAS24 certified burglarproof protection. But your safety is ensured in every-day usage too, with Softclose technology preventing objects from getting crushed when the vent is closing.



ConceptPatio 130 General Information


Possible vent sizes (mm)



Maximum vent weights (kg)

Slider vent	Lift-slider vent	Fixed vent	Fixed monorail
300	300/400*	300	500

*400kg for Lift-Slider Monorail Outside Glazed



Visible dimensions (mm)

Lift-Slider 2-rail Renovation Threshold

1	Vent height	94
2	Frame height	20
3	Frame depth	139
4	Meeting section	50-98
5	Glass thickness	Up to 45

Lift-Slider 2-rail

Thermal value - Uw (W/m²K)	Down to 1,4
Water tightness	9A (600 Pa)
Wind load resistance	B5 (2000 Pa)
Burglarproof	RC2 / PAS24

Lift-Slider Monorail Outside Glazed

Thermal value - Uw (W/m²K)	Down to 1,4
Water tightness	E750 (750 Pa)
Wind load resistance	B5 (2000 Pa)
Burglarproof	RC2

Slider 2-rail

Thermal value - Uw (W/m²K)	Down to 1,4
Water tightness	8A (450 Pa)
Wind load resistance	B5 (2000 Pa)
Burglarproof	RC2 / PAS24




MasterPatio Variants

More variants can be found on our website. Scan QR to find out more...



*Performance levels, dimensions and properties depend on size, profile combinations, hardware and infill choices. Please contact your Reynaers Aluminium representative for your ideal solution.

Partner details



Our partners

Reynaers at Home connects you to a network of carefully selected Partners who will guide you through your home transformation process, from the initial design and specification stages through to the supply and installation of your bespoke aluminium window and door systems.

For more information, please visit
www.reynaersathome.co.uk

Why Reynaers?

For over 60 years, Reynaers Aluminium Ltd has been designing cutting-edge glazing solutions for some of the most iconic buildings in the world.

Engineered without compromise, our ranges of aluminium windows, doors and curtain wall systems have been specified time and again by the world's leading architects and construction companies.



Reynaers
Aluminium

Windows.
Doors.
Conservatories.

Together for better